

Fig. 1

```

graph TD
    START([START]) --> A[COMPUTER VIRUS  
INFECTS  
COMPUTER]
    A --> B[COMPUTER VIRUS  
GENERATES  
MESSAGES USING  
ADDRESSES ON  
COMPUTER]
    B --> C[SERVER RECEIVES  
MESSAGES]
    C --> D{IS ANY MESSAGE  
ADDRESSED TO  
A DECOY  
ADDRESS?}
    D -- YES --> E[PERFORM VIRUS  
CONTAINMENT  
ACTION(S)]
    D -- NO --> F[FORWARD  
MESSAGE TO  
DESTINATIONS]
    E --> G([FINISH])
    F --> G
  
```

Fig. 2

```

graph TD
    START([START]) --> A[COMPUTER PERIODICALLY SENDS DECOY MESSAGES TO DECOY ADDRESSES]
    A --> B[SERVER RECEIVES MESSAGES]
    B --> C{IS ANY MESSAGE ADDRESSED TO A DECOY ADDRESS?}
    C -- NO --> D[FORWARD MESSAGES TO DESTINATIONS]
    D --> H([FINISH])
    C -- YES --> E{IS MESSAGE A VALID DECOY MESSAGE?}
    E -- YES --> F[IGNORE DECOY MESSAGE]
    F --> D
    E -- NO --> G[PERFORM VIRUS CONTAINMENT ACTION(S)]
    G --> H
  
```

Fig. 3




Fig. 4




Fig. 5




Fig. 6




Fig. 7